

Quality Measures

	A	B	C	D	E	F	G	H	I
1	MEASURE NAME	MEASURE DESCRIPTION	NQF	QUALITY ID	NQS DOMAIN	MEASURE TYPE	HIGH PRIORITY MEASURE	DATA SUBMISSION METHOD	SPECIALTY MEASURE SET
2	Adult Primary Rhegmatogenous Retinal Detachment Surgery: No Return to the Operating Room Within 90 Days of Surgery	Patients aged 18 years and older who had surgery for primary rhegmatogenous retinal detachment who did not require a return to the operating room within 90 days of surgery	N/A	384	Effective Clinical Care	Outcome	Yes	Registry	Ophthalmology
3	Adult Primary Rhegmatogenous Retinal Detachment Surgery: Visual Acuity Improvement Within 90 Days of Surgery	Patients aged 18 years and older who had surgery for primary rhegmatogenous retinal detachment and achieved an improvement in their visual acuity, from their preoperative level, within 90 days of surgery in the operative eye	N/A	385	Effective Clinical Care	Outcome	Yes	Registry	Ophthalmology
4	Age-Related Macular Degeneration (AMD): Counseling on Antioxidant Supplement	Percentage of patients aged 50 years and older with a diagnosis of age-related macular degeneration (AMD) or their caregiver(s) who were counseled within 12 months on the benefits and/or risks of the Age-Related Eye Disease Study (AREDS) formulation for preventing progression of AMD	566	140	Effective Clinical Care	Process	No	Claims, Registry	Ophthalmology
5	Age-Related Macular Degeneration (AMD): Dilated Macular Examination	Percentage of patients aged 50 years and older with a diagnosis of age-related macular degeneration (AMD) who had a dilated macular examination performed which included documentation of the presence or absence of macular thickening or hemorrhage AND the level of macular degeneration severity during one or more office visits within 12 months	87	14	Effective Clinical Care	Process	No	Claims, Registry	Ophthalmology
6	Care Plan	Percentage of patients aged 65 years and older who have an advance care plan or surrogate decision maker documented in the medical record or documentation in the medical record that an advance care plan was discussed but the patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan	326	47	Communication and Care Coordination	Process	Yes	Claims, Registry	Internal Medicine, Cardiology, Emergency Medicine, Gastroenterology, General Surgery, General Oncology, Hospitalists, Neurology, Obstetrics/Gynecology, Ophthalmology, Orthopedic Surgery, Otolaryngology, Physical Medicine, Preventive Medicine, Rheumatology, Thoracic Surgery, Urology, Vascular Surgery, Mental/Behavioral Health, Plastic Surgery, General Practice/Family Medicine
7	Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery	Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and no significant ocular conditions impacting the visual outcome of surgery and had best-corrected visual acuity of 20/40 or better (distance or near) achieved within 90 days following the cataract surgery	565	191	Effective Clinical Care	Outcome	Yes	EHR, Registry	Ophthalmology
8	Cataracts: Complications within 30 Days Following Cataract Surgery Requiring Additional Surgical Procedures	Percentage of patients aged 18 years and older with a diagnosis of uncomplicated cataract who had cataract surgery and had any of a specified list of surgical procedures in the 30 days following cataract surgery which would indicate the occurrence of any of the following major complications: retained nuclear fragments, endophthalmitis, dislocated or wrong power IOL, retinal detachment, or wound dehiscence	564	192	Patient Safety	Outcome	Yes	EHR, Registry	Ophthalmology

Quality Measures

	A	B	C	D	E	F	G	H	I
1	MEASURE NAME	MEASURE DESCRIPTION	NQF	QUALITY ID	NQS DOMAIN	MEASURE TYPE	HIGH PRIORITY MEASURE	DATA SUBMISSION METHOD	SPECIALTY MEASURE SET
9	Cataracts: Improvement in Patient's Visual Function within 90 Days Following Cataract Surgery	Percentage of patients aged 18 years and older who had cataract surgery and had improvement in visual function achieved within 90 days following the cataract surgery, based on completing a pre-operative and post-operative visual function survey	1536	303	Person and Caregiver-Centered Experience and Outcomes	Outcome	Yes	Registry	Ophthalmology
10	Cataracts: Patient Satisfaction within 90 Days Following Cataract Surgery	Percentage of patients aged 18 years and older who had cataract surgery and were satisfied with their care within 90 days following the cataract surgery, based on completion of the Consumer Assessment of Healthcare Providers and Systems Surgical Care Survey	N/A	304	Person and Caregiver-Centered Experience and Outcomes	Outcome	Yes	Registry	Ophthalmology
11	Cataract Surgery: Difference Between Planned and Final Refraction	Percentage of patients aged 18 years and older who had cataract surgery performed and who achieved a final refraction within +/- 0.5 diopters of their planned (target) refraction	N/A	389	Effective Clinical Care	Outcome	Yes	Registry	Ophthalmology
12	Cataract Surgery with Intra-Operative Complications (Unplanned Rupture of Posterior Capsule Requiring Unplanned Vitrectomy)	Percentage of patients aged 18 years and older who had cataract surgery performed and had an unplanned rupture of the posterior capsule requiring vitrectomy	N/A	388	Patient Safety	Outcome	Yes	Registry	Ophthalmology
13	Closing the Referral Loop: Receipt of Specialist Report	Percentage of patients with referrals, regardless of age, for which the referring provider receives a report from the provider to whom the patient was referred	N/A	374	Communication and Care Coordination	Process	Yes	EHR	Allergy/Immunology, Cardiology, Dermatology, Emergency Medicine, Gastroenterology, General Surgery, General Oncology, Hospitalists, Neurology, Obstetrics/Gynecology, Ophthalmology, Orthopedic Surgery, Otolaryngology, Physical Medicine, Preventive Medicine, Rheumatology, Thoracic Surgery, Urology, Vascular Surgery, Mental/Behavioral Health, Plastic Surgery
14	Diabetes: Eye Exam	Percentage of patients 18-75 years of age with diabetes who had a retinal or dilated eye exam by an eye care professional during the measurement period or a negative retinal exam (no evidence of retinopathy) in the 12 months prior to the measurement period	55	117	Effective Clinical Care	Process	No	Claims, EHR, CMS Web Interface, Registry	Internal Medicine, Ophthalmology, General Practice/Family Medicine

Quality Measures

	A	B	C	D	E	F	G	H	I
1	MEASURE NAME	MEASURE DESCRIPTION	NQF	QUALITY ID	NQS DOMAIN	MEASURE TYPE	HIGH PRIORITY MEASURE	DATA SUBMISSION METHOD	SPECIALTY MEASURE SET
15	Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care	Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed with documented communication to the physician who manages the ongoing care of the patient with diabetes mellitus regarding the findings of the macular or fundus exam at least once within 12 months	89	19	Communication and Care Coordination	Process	Yes	Claims, EHR, Registry	Ophthalmology
16	Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy	Percentage of patients aged 18 years and older with a diagnosis of diabetic retinopathy who had a dilated macular or fundus exam performed which included documentation of the level of severity of retinopathy and the presence or absence of macular edema during one or more office visits within 12 months	88	18	Effective Clinical Care	Process	No	EHR	Ophthalmology
17	Documentation of Current Medications in the Medical Record	Percentage of visits for patients aged 18 years and older for which the eligible professional attests to documenting a list of current medications using all immediate resources available on the date of the encounter. This list must include ALL known prescriptions, over-the-counters, herbals, and vitamin/mineral/dietary (nutritional) supplements AND must contain the medications' name, dosage, frequency and route of administration.	419	130	Patient Safety	Process	Yes	Claims, EHR, Registry	Allergy/Immunology, Internal Medicine, Anesthesiology, Cardiology, Dermatology, Emergency Medicine, Gastroenterology, General Surgery, General Oncology, Hospitalists, Neurology, Obstetrics/Gynecology, Ophthalmology, Orthopedic Surgery, Otolaryngology, Physical Medicine, Preventive Medicine, Rheumatology, Thoracic Surgery, Urology, Vascular Surgery, Mental/Behavioral Health, Plastic Surgery, General Practice/Family Medicine
18	Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented	Percentage of patients aged 18 years and older seen during the reporting period who were screened for high blood pressure AND a recommended follow-up plan is documented based on the current blood pressure (BP) reading as indicated	N/A	317	Community/Population Health	Process	No	Claims, EHR, Registry	Allergy/Immunology, Internal Medicine, Anesthesiology, Cardiology, Dermatology, Emergency Medicine, Gastroenterology, General Surgery, General Oncology, Hospitalists, Neurology, Obstetrics/Gynecology, Ophthalmology, Orthopedic Surgery, Otolaryngology, Physical Medicine, Preventive Medicine, Rheumatology, Thoracic Surgery, Urology, Vascular Surgery, Mental/Behavioral Health, Plastic Surgery, General Practice/Family Medicine
19	Preventive Care and Screening: Tobacco Use: Screening and Cessation Intervention	Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user	28	226	Community/Population Health	Process	No	Claims, EHR, CMS Web Interface, Registry	Allergy/Immunology, Internal Medicine, Cardiology, Dermatology, Emergency Medicine, Gastroenterology, General Surgery, General Oncology, Hospitalists, Neurology, Obstetrics/Gynecology, Ophthalmology, Orthopedic Surgery, Otolaryngology, Physical Medicine, Preventive Medicine, Rheumatology, Thoracic Surgery, Urology, Vascular Surgery, Mental/Behavioral Health, Plastic Surgery, General Practice/Family Medicine
20	Primary Open-Angle Glaucoma (POAG): Optic Nerve Evaluation	Percentage of patients aged 18 years and older with a diagnosis of primary open-angle glaucoma (POAG) who have an optic nerve head evaluation during one or more office visits within 12 months	86	12	Effective Clinical Care	Process	No	Claims, EHR, Registry	Ophthalmology

Quality Measures

	A	B	C	D	E	F	G	H	I
	MEASURE NAME	MEASURE DESCRIPTION	NQF	QUALITY ID	NQS DOMAIN	MEASURE TYPE	HIGH PRIORITY MEASURE	DATA SUBMISSION METHOD	SPECIALTY MEASURE SET
1									
21	Primary Open-Angle Glaucoma (POAG): Reduction of Intraocular Pressure (IOP) by 15% OR Documentation of a Plan of Care	Percentage of patients aged 18 years and older with a diagnosis of primary open-angle glaucoma (POAG) whose glaucoma treatment has not failed (the most recent IOP was reduced by at least 15% from the pre-intervention level) OR if the most recent IOP was not reduced by at least 15% from the pre-intervention level, a plan of care was documented within 12 months	563	141	Communication and Care Coordination	Outcome	Yes	Claims, Registry	Ophthalmology
22	Tobacco Use and Help with Quitting Among Adolescents	The percentage of adolescents 12 to 20 years of age with a primary care visit during the measurement year for whom tobacco use status was documented and received help with quitting if identified as a tobacco user	N/A	402	Community/Population Health	Process	No	Registry	Allergy/Immunology, Internal Medicine, Cardiology, Dermatology, Emergency Medicine, Gastroenterology, General Surgery, General Oncology, Hospitalists, Neurology, Obstetrics/Gynecology, Ophthalmology, Orthopedic Surgery, Otolaryngology, Physical Medicine, Preventive Medicine, Rheumatology, Thoracic Surgery, Urology, Vascular Surgery, Mental/Behavioral Health, Plastic Surgery, General Practice/Family Medicine, Pediatrics